



Fall Protection Equipment

PROGUARD™

PG 141060

Full Body Harness

A Dorsal attachment D-ring
Adjustable thigh strap
Metal buckle type chest strap
Shoulder and thigh straps differentiated by dual colour scheme
Ideally positioned sit strap for extended comfort
Conform to EN 361
Size- Universal
Weight- 680gms



Product Code	Description	Packing	Price
PG 141060	Full Body Harness with Carrying Bag	1 set/box 10 set/ctn	

PROGUARD™

PG 141062

Full Body Harness

Two chest attachment D-Rings
And a Dorsal attachment D-ring
Adjustable thigh strap
Metal buckle type chest strap
Shoulder and thigh straps differentiated by dual colour scheme
Ideally positioned sit strap for extended comfort
Conform to EN 361
Size- Universal
Weight- 1200gms



Product Code	Description	Packing	Price
PG 141062	Full Body Harness with Carrying Bag	1 set/box 10 set/ctn	

PROGUARD™

PG 141061

Full Body Harness

A Dorsal attachment D-ring
Adjustable shoulder & thigh strap
Metal buckle type chest strap
Shoulder and thigh straps differentiated by dual colour scheme
Ideally positioned sit strap for extended comfort
Conform to EN 361
Size- Universal
Weight- 1000gms



Product Code	Description	Packing	Price
PG 141061	Full Body Harness with Carrying Bag	1 set/box 10 set/ctn	

PROGUARD™

PG 141063

Full Body Harness

Two chest attachment webbing loops
And a Dorsal attachment D-ring
Adjustable thigh strap
Shoulder and thigh straps differentiated by dual colour scheme
Ideally positioned sit strap for extended comfort
Conform to EN 361
Size- Universal
Weight- 780gms



Product Code	Description	Packing	Price
PG 141063	Full Body Harness with Carrying Bag	1 set/box 10 set/ctn	

PROGUARD™

PG 141060 CBU

Full Body Harness

Specification as per PG 141060
 Built-in with 1.6 metre polyamide lanyard with 2pcs plastic timbles & 1pc press snap hook
 Conform to EN 361 & EN 354



Product Code	Description	Packing	Price
PG 141060 CBU	Full Body Harness with 1.6m polyamide lanyard & carrying bag	1 set/box 10 set/ctn	

PROGUARD™

S 710-PROGR

Full Body Harness

Specification as per PG 141060
 Lighter & comfortable
 Conform to EN 361



Product Code	Description	Packing	Price
S 710-PROGR	Full Body Harness with carrying bag	1 set/box 10 set/ctn	

PROGUARD™

S 718

Full Body Harness

1pc dorsal attachment D-ring
 1pc front attachment D-ring
 1pc center waist attachment D-ring for sit support
 2pcs side D-rings
 Abrasion proof Ergopad backrest
 Adjustable leg, waist & shoulder straps
 Extremely lightweight: 1,200gms
 Conform to EN 361, EN 358 & EN 813



Product Code	Description	Packing	Price
S 718	Telekom Full Body Harness with carrying bag	1 set/box 10 set/ctn	

PROGUARD™

PG 141060-EB

Full Body Harness with Eco Belt

A Dorsal attachment D-ring
 Adjustable waist support belt
 Adjustable thigh strap
 Shoulder and thigh straps differentiated by dual colour scheme
 Ideally positioned sit strap for extended comfort
 Two lateral positioning D-rings
 Conform to EN 361
 Size- Universal Weight- 1400gms



Product Code	Description	Packing	Price
PG 141060-EB	Full Body Harness	1 set/box 10 set/ctn	

ECOSAFE™

BH 7886

Full Body Harness

Basic full body harness with plastic quick buckle chest strap. 1pc Dorsal D-ring and adjustable leg strap. Conform to EN 361.



Product Code	Description	Packing	Price
BH 7886	Basic Full Body Harness	1 set/box 10 set/ctn	

ECOSAFE™

BH 7886 CBU

Full Body Harness

Basic full body harness with plastic quick buckle chest strap. 1pc Dorsal D-ring and adjustable leg strap. Built-in 1.6 metre polyamide lanyard with 2pcs plastic thimbles & 1pc press snap hook. Conform to EN 361 & EN 354.




Product Code	Description	Packing	Price
BH 7886 CBU	Full Body Harness CBU	1 set/box 10 set/ctn	

ECOSAFE™

BH 9886

Full Body Harness

Rescue full body harness with plastic quick buckle chest strap. 1pc Dorsal D-ring, 2pcs chest D-rings for rescue and adjustable leg strap. Conform to EN 361.




Product Code	Description	Packing	Price
BH 9886	Rescue Full Body Harness	1 set/box 10 set/ctn	

ECOSAFE™

BH 6886

Full Body Harness


Basic full body harness attached with extension strap. 1pc Dorsal D-ring with plastic quick buckle chest strap and adjustable leg strap. Conform to EN 361.



Product Code	Description	Packing	Price
BH 6886	Easylink Full Body Harness	1 set/box 10 set/ctn	

PROGUARD™ Safety Belt PG 141051

Safety Belt - Built-in with 50mm width webbing, 2pcs D-Ring, 1pc Quick Buckle, 12mm x 1.6 meter Polyamide Lanyard, Press Snap Hook.




Tensile Strength:	
Belt-over	1500kgf
Rope-over	2340kgf
Hook-over	900kgf
D-Ring-over	1150kgf
Connection part of Rope & Belt	800kgf
Buckle-over	1150kgf

Product Code	Description	Packing	Price
PG 141051	Industrial Safety Belt	1 set/box 24 set/ctn	

PROGUARD™ Safety Belt PG 141057

Safety Belt - Built-in with 50mm width webbing, 2pcs D-Ring, 1pc Quick Buckle, 12mm x 1.6 meter Polyamide Lanyard, Large Opening Hook.




Tensile Strength:	
Belt-over	1500kgf
Rope-over	2340kgf
Hook-over	1150kgf
D-Ring-over	1150kgf
Connection part of Rope & Belt	800kgf
Buckle-over	1150kgf

Product Code	Description	Packing	Price
PG 141057	Industrial Safety Belt	1 set/box 24 set/ctn	

PROGUARD™ Safety Belt PG 141054

Safety Belt - Built-in with 50mm width webbing, 1pc D-Ring, 1pc Quick Buckle, 12mm x 1.6 meter Polyamide Lanyard, Press Snap Hook.




Tensile Strength:	
Belt-over	1500kgf
Rope-over	2340kgf
Hook-over	900kgf
D-Ring-over	1150kgf
Connection part of Rope & Belt	800kgf
Buckle-over	1150kgf

Product Code	Description	Packing	Price
PG 141054	Industrial Safety Belt	1 set/box 24 set/ctn	

Economic Safety Belt ESB 1

Safety Belt - Built-in with 50mm width webbing, 1pc D-Ring, 1pc Quick Buckle, 10mm x 1.6 meter High Tenacity Green Lanyard, Press Snap Hook.



Tensile Strength:	
Belt-over	1500kgf
Rope-over	1350kgf
Hook-over	700kgf
D-Ring-over	1150kgf
Connection part of Rope & Belt	800kgf
Buckle-over	1150kgf

Product Code	Description	Packing	Price
ESB 1	Industrial Safety Belt	1 set/box 24 set/ctn	

! Safety belts are only to be used as a restraint. If actual falls may be encountered, then a full body harness must be worn.

PROGUARD™

PG 141059-S-PAX

Standard Safety Positioning Belt

- Anchorage**
 - Convenience**
 - Ergonomics**
 - Accessories**
 - Compliance**
 - Physical Parameters**
- Adjustable waist belt
 - Tool holder loops and rings
 - Two lateral positioning D-rings with a back support pad
 - 1pc carabiner with 2 meter lanyard & 1pc press snap hook
 - Conform to EN 361, EN 362, EN 345
 - Size- Universal
 - Weight- 1.50kgs



Product Code	Description	Packing	Price
PG 141059-S-PAX	Work Positioning Belt	1 set/box	

PROGUARD™

PG 141059-D-PAX

Deluxe Safety Positioning Belt

- Anchorage**
 - Convenience**
 - Ergonomics**
 - Accessories**
 - Compliance**
 - Physical Parameters**
- Adjustable waist belt
 - Tool holder loops and rings
 - Two lateral positioning D-rings with a back support pad
 - 1pc carabiner with 2meter lanyard & 1pc press snap hook
 - Conform to EN 361, EN 362, EN 345
 - Size- Universal
 - Weight- 1.60kgs



Product Code	Description	Packing	Price
PG 141059-D-PAX	Work Positioning Belt	1 set/box	

PROGUARD™

PG 141059-S-PRO

Standard Safety Positioning Belt

- Anchorage**
 - Convenience**
 - Ergonomics**
 - Accessories**
 - Compliance**
 - Physical Parameters**
- Adjustable waist belt
 - Tool holder loops and rings
 - Two lateral positioning D-rings with a back support pad
 - S234 Work Positioning Lanyard (1pc carabiner with 2meter lanyard, 1pc press snap hook & hand operate length adjuster)
 - Conform to EN 361, EN 362, EN345
 - Size- Universal
 - Weight- 1.99kgs



Product Code	Description	Packing	Price
PG 141059-S-PRO	Work Positioning Belt	1 set/box	

PROGUARD™

PG 141059-D-PRO

Deluxe Safety Positioning Belt

- Anchorage**
 - Convenience**
 - Ergonomics**
 - Accessories**
 - Compliance**
 - Physical Parameters**
- Adjustable waist belt
 - Tool holder loops and rings
 - Two lateral positioning D-rings with a back support pad
 - S234 Work Positioning Lanyard (1pc carabiner with 2meter lanyard, 1pc press snap hook & hand operate length adjuster)
 - Conform to EN 361, EN 362, EN 345
 - Size- Universal
 - Weight- 2.07kgs



Product Code	Description	Packing	Price
PG 141059-D-PRO	Work Positioning Belt	1 set/box	

PROGUARD™

PG 141059-S-PLUS

Standard Safety Positioning Belt

Anchorage

- Adjustable waist belt

Convenience

- Tool holder loops and rings

Ergonomics

- Two lateral positioning D-rings with a back support pad

Accessories

- Jynx 3 Work Positioning Lanyard (2pcs carabiner with 2meter webbing lanyard & length adjuster 8-ring)

Compliance

- Conform to EN 361, EN 362, EN 345

Physical Parameters

- Size- Universal
- Weight- 1.45kgs



Product Code	Description	Packing	Price
PG 141059-S-PLUS	Work Positioning Belt	1 set/box	

PROGUARD™

PG 141059-D-PLUS

Deluxe Safety Positioning Belt

Anchorage

- Adjustable waist belt

Convenience

- Tool holder loops and rings

Ergonomics

- Two lateral positioning D-rings with a back support pad

Accessories

- Jynx 3 Work Positioning Lanyard (2pcs carabiner with 2meter webbing lanyard & length adjuster 8-ring)

Compliance

- Conform to EN 361, EN 362, EN 345

Physical Parameters

- Size- Universal
- Weight- 1.53kgs



Product Code	Description	Packing	Price
PG 141059-D-PLUS	Work Positioning Belt	1 set/box	

Work Positioning Seat Harness S181

2pcs lateral work positioning D-rings & 1pc front waist work positioning D-ring. Curved D-rings to facilitate connection to hooks. Abrasion Proof Ergopad backrest. Weight: 1kg. Conform to EN 358 & EN 813.



Product Code	Description	Packing	Price
S181	Work Positioning Seat Harness with carrying bag	1 set/box	



PROGUARD™

FL-1SH

Spring Lanyard - Very good flexibilities and also act as extra energy absorption. When released, it stays close to the user's body, reducing the possibility of trips and snags. Single Flexible Lanyard comes with 1pc press snap hook. Retracted length is 1.3m and extended total length is 2m. Complied to EN 354 & EN 355.

CE



Product Code	Description	Packing	Price
FL-1SH	Single Spring Lanyard/1pc Press Snap Hook	1 set/box 10 set/ctn	

PROGUARD™

FL-1LH

Spring Lanyard - Very good flexibilities and also act as extra energy absorption. When released, it stays close to the user's body, reducing the possibility of trips and snags. Single Flexible Lanyard comes with 1pc large opening hook. Retracted length is 1.3m and extended total length is 2m. Complied to EN 354 & EN 355.

CE



Product Code	Description	Packing	Price
FL-1LH	Single Spring Lanyard/1pc Large Opening Hook	1 set/box 10 set/ctn	

PROGUARD™

FL-TW2SH&C

Spring Lanyard - As per FL-1SH. These twin lanyards allows the user to move constantly attached to an anchorage providing added safety features. Built-in Double Flexible Lanyard with 1pc carabiner & 2pcs press snap hook. Retracted length is 1.3m and extended total length is 2m. Complied to EN 354 & EN 355.

CE



Product Code	Description	Packing	Price
FL-TW2SH&C	Twin Spring Lanyard/2pcs Press Snap Hook/1pc Carabiner	1 set/box 10 set/ctn	

PROGUARD™

FL-TW2LH&C

Spring Lanyard - As per FL-1LH. These twin lanyards allows the user to move constantly attached to an anchorage providing added safety features. Built-in Double Flexible Lanyard with 1pc carabiner & 2pcs large opening hook. Retracted length is 1.3m and extended total length is 2m. Complied to EN 354 & EN 355.

CE



Product Code	Description	Packing	Price
FL-TW2LH&C	Twin Spring Lanyard/2pcs Large Opening Hook/1pc Carabiner	1 set/box 10 set/ctn	

PROGUARD™

FL-141065-SH

Spring Lanyard - Combination Stretchable Lanyard with Energy Absorber has a very good absorbing properties should a fall occur. When released, it stays close to the user's body, reducing the possibility of trips and snags. Single Flexible Lanyard comes with 1pc press snap hook. Retracted length is 1.3m and extended total length is 2m. Static Strength more than 22kN and impact force will be under 6 kN. Complied to EN 354 & EN 355.



Product Code	Description	Packing	Price
FL-141065-SH	Single Spring Lanyard/1pc Press Snap Hook/1pc Energy Absorber/2pcs Carabiner	1 set/box 10 set/ct	

PROGUARD™

FL-141069-LH

Spring Lanyard - Combination Stretchable Lanyard with Energy Absorber has a very good absorbing properties should a fall occur. When released, it stays close to the user's body, reducing the possibility of trips and snags. Single Flexible Lanyard comes with 1pc large opening hook. Retracted length is 1.3m and extended total length is 2m. Static Strength more than 22kN and impact force will be under 6 kN. Complied to EN 354 & EN 355.



Product Code	Description	Packing	Price
FL-141069-LH	Single Spring Lanyard/1pc Large Opening Hook/1pc Energy Absorber/2pcs Carabiner	1 set/box 10 set/ctn	

PROGUARD™

FL-141067-PH

Spring Lanyard - As per FL-141065SH. These twin lanyards allows the user to move constantly attached to an anchorage providing added safety features. Energy Absorber built-in with Double Flexible Lanyard, 1pc carabiner & 2pcs press snap hook. Retracted length is 1.3m and extended total length is 2m. Static Strength more than 22kN and impact force will be under 6kN. Complied to EN 354 & EN 355.



Product Code	Description	Packing	Price
FL-141067-PH	Twin Spring Lanyard/2pcs Press Snap Hook/1pc Energy Absorber/2pcs Carabiner	1 set/box 10 set/ctn	

PROGUARD™

FL-141068-LOH

Spring Lanyard - As per FL-141069-LH. These twin lanyards allows the user to move constantly attached to an anchorage providing added safety features. Energy Absorber built-in with Double Flexible Lanyard, 1pc carabiner & 2pcs large opening hook. Retracted length is 1.3m and extended total length is 2m. Static Strength more than 22kN and impact force will be under 6kN. Complied to EN 354 & EN 355.



Product Code	Description	Packing	Price
FL-141068-LOH	Twin Spring Lanyard/2pcs Large Opening Hook/1pc Energy Absorber/2pcs Carabiner	1 set/box 10 set/ctn	

Work Position Lanyard

Jynx 3

Budget type positioning lanyard with 2pcs Carabiner & 1pc 8-ring length adjuster. Conform to EN358.



Product Code	Description	Packing	Price
Jynx 3	Work Position Lanyard	1 set/box 30 set/ctn	

Webbing Lanyard

WL-1LH & WL-1SH



Product Code	Description	Packing	Price
WL-1LH	Webbing Lanyard/ 1pc Large Opening Hook	1 set/box 30 set/ctn	
WL-1SH	Webbing Lanyard/ 1pc Press Snap Hook	1 set/box 30 set/ctn	

Work Position Lanyard

S234


A premium type positioning lanyard with a user-friendly one hand operated length adjuster with 1pc Carabiner & 1pc Press Snap Hook. Use mainly by telecommunication companies. Conform to EN 358.



Product Code	Description	Packing	Price
S234	Work Position Lanyard	1 set/box 10 set/ctn	

Webbing Lanyard


WL-141069-LH & WL-141068-LOH



Product Code	Description	Packing	Price
WL-141069-LH	Energy Absorber/Single Webbing Lanyard/2pcs Carabiner/ 1pc Large Opening Hook	1 set/box 10 set/ctn	
WL-141068-LOH	Energy Absorber/Double Webbing Lanyard/2pcs Carabiner/ 2pcs Large Opening Hook	1 set/box 10 set/ctn	

Webbing Lanyard

WL-141065-SH & WL-141067-PH



WL-141065-SH

WL-141067-PH

Product Code	Description	Packing	Price
WL-141065-SH	Energy Absorber/Single Webbing Lanyard/2pcs Carabiner/ 1pc Press Snap Hook	1 set/box 10 set/ctn	
WL-141067-PH	Energy Absorber/Double Webbing Lanyard/2pcs Carabiner/ 2pcs Press Snap Hook	1 set/box 10 set/ctn	

Polyamide Lanyard

2.0M-CSLH

Made of Polyamide 3 strand rope with indicator red & yellow running lines. Rope size is 12mm x 2 meter length with 1pc press snap hook & 1pc large opening hook. Replace it when running lines fade which indicates that the lanyard life has worn out. Conform to EN 354.



Product Code	Description	Packing	Price
2.0M-CSLH	2.0m Polyamide Lanyard with 1pc Press Snap Hook & 1pc Large Opening Hook	1 set/box 30 set/ctn	

Polyamide Lanyard

1.6M-SH

Made of Polyamide 3 strand rope with indicator red & yellow running lines. Rope size is 12mm x 1.6 meter length with 1pc press snap hook. Replace it when the running lines fades which indicates that the lanyard life has worn out. Conform to EN 354.



Polyamide Lanyard

1.6M-LH

Made of Polyamide 3 strand rope with indicator red & yellow running lines. Rope size is 12mm x 1.6 meter length with 1pc large opening hook. Replace it when the running lines fade which indicates that the lanyard life has worn out. Conform to EN 354.



Product Code	Description	Packing	Price
1.6M-SH	1.6m Polyamide Lanyard with Press Snap Hook	1 set/box 30 set/ctn	
1.6M-LH	1.6m Polyamide Lanyard with Large Opening Hook	1 set/box 30 set/ctn	

Polyamide Lanyard

2.0M-SH

Made of Polyamide 3 strand rope with indicator red & yellow running lines. Rope size is 12mm x 1.6 meter length with 1pc press snap hook. Replace it when the running lines fades which indicates that the lanyard life has worn out. Conform to EN 354.



Polyamide Lanyard

2.0M-LH

Made of Polyamide 3 strand rope with indicator red & yellow running lines. Rope size is 12mm x 1.6 meter length with 1pc large opening hook. Replace it when the running lines fade which indicates that the lanyard life has worn out. Conform to EN 354.



Product Code	Description	Packing	Price
2.0M-SH	2.0m Polyamide Lanyard with Press Snap Hook	1 set/box 30 set/ctn	
2.0M-LH	2.0m Polyamide Lanyard with Large Opening Hook	1 set/box 30 set/ctn	

PROGUARD™

PG141069-LH

Polyamide Lanyard - Most basic & price effective energy absorber lanyard. Energy Absorber built-in with Single Polyamide Lanyard, 2pcs carabiner & 1pc Large Opening Hook. Static Strength more than 22kN and impact force will be under 6kN. Conform to EN 354.

CE



Product Code	Description	Packing	Price
PG 141069-LH	Energy Absorber/2m -Polyamide Lanyard/2pcs Carabiner/ 1pc Large Opening Hook	1 set/box 10 set/ctn	

PROGUARD™

PG141065-SH

Polyamide Lanyard - Most basic & price effective energy absorber lanyard. Energy Absorber built-in with Single Polyamide Lanyard, 2pcs carabiner & 1pc Press Snap Hook. Static Strength more than 22kN and impact force will be under 6kN. Conform to EN 354.

CE



Product Code	Description	Packing	Price
PG 141065-SH	Energy Absorber/2m -Polyamide Lanyard/2pcs Carabiner/ 1pc Press Snap Hook	1 set/box 10 set/ctn	

PROGUARD™

PG 141068-LOH

Polyamide Lanyard - As per PG-141069-LH. These twin lanyards allows the user to move constantly attached to an anchorage providing added safety features. Energy Absorber built-in with Double Polyamide Lanyard, 2pcs carabiner & 2 pcs large opening hook. Static Strength more than 22kN and impact force will be under 6kN. Conform to EN 354.

CE



Product Code	Description	Packing	Price
PG 141068-LOH	Energy Absorber/2m Polyamide Lanyard/2pcs Carabiner/ 2pcs Large Opening Hook	1 set/box 10 set/ctn	

PROGUARD™

PG 141067-PH

Polyamide Lanyard - As per PG-141065-SH. These twin lanyards allows the user to move constantly attached to an anchorage providing added safety features. Energy Absorber built-in with Double Polyamide Lanyard, 2pcs carabiner & 2 pcs Press Snap Hook. Static Strength more than 22kN and impact force will be under 6kN. Conform to EN 354.

CE



Product Code	Description	Packing	Price
PG 141067-PH	Energy Absorber/2m Polyamide Lanyard/2pcs Carabiner/ 2pcs Press Snap Hook	1 set/box 10 set/ctn	

Economic Polyamide Lanyard

EV240-LOH

Economic basic energy absorber lanyard. Mini Energy Absorber built-in with Single Polyamide Lanyard, 2pcs carabiner & 1pc Large Opening Hook. Static Strength more than 22kN and impact force will be under 6kN. Conform to EN 354.



Product Code	Description	Packing	Price
EV240-LOH	Mini Energy Absorber/1.6m Polyamide Lanyard/2pcs Carabiner /1pc Large Opening Hook	1 set/box 10 set/ctn	

Economic Polyamide Lanyard

EV250-LOH

These twin lanyards allow the user to move constantly attached to an anchorage providing added safety features. Mini Energy Absorber built-in with Double Polyamide Lanyard, 2pcs carabiner & 2pcs large opening hook. Static Strength more than 22kN and impact force will be under 6kN. Conform to EN 354.



Product Code	Description	Packing	Price
EV250-LOH	Mini Energy Absorber/1.6m Polyamide Lanyard/2pcs Carabiner /2pcs Large Opening Hook	1 set/box 10 set/ctn	

Economic Polyamide Lanyard

EV260-SH

Most basic & price effective energy absorber lanyard. Absorber built-in with Single Polyamide Lanyard, 1pc carabiner & 1pc Press Snap Hook. Static Strength more than 22kN and impact force will be under 6kN. Conform to EN 354.



Product Code	Description	Packing	Price
EV260-SH	Mini Energy Absorber/1.6m Polyamide Lanyard/2pcs Carabiner /1pc Press Snap Hook	1 set/box 10 set/ctn	

Economic Polyamide Lanyard

EV270-SH

These twin lanyards allow the user to move constantly attached to an anchorage providing added safety features. Mini Energy Absorber built-in with Double Polyamide Lanyard, 2pcs carabiner & 2pcs Press Snap Hook. Static Strength more than 22kN and impact force will be under 6kN. Conform to EN 354.



Product Code	Description	Packing	Price
EV270-SH	Mini Energy Absorber/1.6m Polyamide Lanyard/2pcs Carabiner /2pcs Press Snap Hook	1 set/box 10 set/ctn	

Economic Polyamide Lanyard EV200-SH

Economic 3 strand polyamide rope with indicator blue & red running lines. Rope size is 12mm x 2 meter length with 1pc press snap hook. Replace it when the running lines fade which indicates that the lanyard life has worn out. Conform to EN 354.



Economic Polyamide Lanyard EV210-LOH

Economic 3 strand polyamide rope with indicator blue & red running lines. Rope size is 12mm x 2 meter length with 1pc large opening hook. Replace it when the running lines fade which indicates that the lanyard life has worn out. Conform to EN 354.



Product Code	Description	Packing	Price
EV200-SH	2.0m Polyamide Lanyard with Press Snap Hook	1 set/box 30 set/ctn	
EV210-LOH	2.0m Polyamide Lanyard with Large Opening Hook	1 set/box 30 set/ctn	

Economic Polyamide Lanyard EV220-SH

Economic 3 strand polyamide rope with indicator blue & red running lines. Rope size is 12mm x 1.6 meter length with 1pc press snap hook. Replace it when the running lines fade which indicates that the lanyard life has worn out. Conform to EN 354.



Economic Polyamide Lanyard EV230-LOH

Economic 3 strand polyamide rope with indicator blue & red running lines. Rope size is 12mm x 1.6 meter length with 1pc large opening hook. Replace it when the running lines fade which indicates that the lanyard life has worn out. Conform to EN 354.



Product Code	Description	Packing	Price
EV220-SH	1.6m Polyamide Lanyard with Press Snap Hook	1 set/box 30 set/ctn	
EV230-LOH	1.6m Polyamide Lanyard with Large Opening Hook	1 set/box 30 set/ctn	

Economic Polyamide Lanyard EV280-CSLH

Economic 3 strand polyamide rope with indicator blue & red running lines. Rope size is 12mm x 2 meter length with 1pc press snap hook & 1pc large opening hook. Replace it when the running lines fade which indicates that the lanyard life has worn out. Conform to EN 354.



Product Code	Description	Packing	Price
EV280-CSLH	2.0m Polyamide Lanyard with 1pc Press Snap Hook & 1pc Large Opening Hook	1 set/box 30 set/ctn	

Economic Polyamide Lanyard EV290-2LH

Economic 3 strand polyamide rope with indicator blue & red running lines. Rope size is 12mm x 2 meter length with 2pcs large opening hook. Replace it when the running lines fade which indicates that the lanyard life has worn out. Conform to EN 354.



Product Code	Description	Packing	Price
EV290-2LH	2.0m Polyamide Lanyard with 2pcs Large Opening Hook	1 set/box 10 set/ctn	

PROGUARD™

Life Lines

These lifelines are generally used in conjunction with a Fall Arrestor or Rope Grab, giving the user the freedom of movement up or down, while providing a passive fall arrest system. It also can be used horizontally. Built-in with 1pc Large Opening Hook. Complete with storage bag. Accordance to EN353-2.



Product Code	Description	Weight	Packing	Price
LL738-1410	14mm x 10m length	2.5kg	1 unit/bag	
LL738-1420	14mm x 20m length	4.0kg	1 unit/bag	
LL738-1430	14mm x 30m length	6.5kg	1 unit/bag	
LL738-1610	16mm x 10m length	3.0kg	1 unit/bag	
LL738-1620	16mm x 20m length	5.0kg	1 unit/bag	
LL738-1630	16mm x 30m length	7.0kg	1 unit/bag	

PROGUARD™

AL 736

Vertical Anchor Line - Use with a full body harness for a complete fall protection system when a user moving in a vertical direction. The fall arrestor will lock or arrest a fall automatically when a fall occurs. These Anchor Lines are built-in with 1pc Large Opening Hook, extension lanyard on fall arrestor (PG141064) with press snap hook. Complete with storage bag. Accordance to EN 353-2



Product Code	Description	Weight	Packing	Price
AL736-1410	10m length Lanyard	4.5kg	1 unit/bag	
AL736-1420	20m length Lanyard	6.0kg	1 unit/bag	
AL736-1430	30m length Lanyard	8.0kg	1 unit/bag	

PROGUARD™

PR 12, PR 14 & PR 16

Polyamide Ropes - Polyamide ropes are the most popular type among synthetic ropes for their abrasion resistance, flex resistance, heat resistance, light and atmosphere resistance and absorption of energy. These ropes produced are mainly in white combination with red and yellow running lines.



Product Code	Description	Weight	Price
PR 12	12mm x 200m length	18 kg/roll	
PR 14	14mm x 200m length	26 kg/roll	
PR 16	16mm x 200m length	34 kg/roll	

PROGUARD™

S 790

Horizontal Life Line - Portable horizontal life line allows movement sideways with absolute safety. The life line connects horizontally in-between two anchor points and is adjustable with the handle bar according to instruction included. Complete with storage bag. Conform to EN 795.



Product Code	Description	Weight	Packing	Price
S790-10	10m length Webbing	3.0kg	1 unit/bag	
S790-20	20m length Webbing	4.0kg	1 unit/bag	

PROGUARD™

PG 300/S740

Energy Absorber - Sold with or without carabiner. Can be fitted to spring, webbing & polyamide lanyard for shock absorbing purposes should a fall occur. Impact force will be under 6 kN. Complied to EN355.



PG300/740




PG300/740-2C

Product Code	Description	Packing	Price
PG300/S740	Energy Absorber	4 pcs/polybag 160 pcs/ctn	
PG300/S740-2C	Energy Absorber with 2pcs carabiner	4 pcs/polybag 160 pcs/ctn	


PROGUARD™

S740-M1

Mini Energy Absorber - Similar to PG 300/S 740 but more compact & economical version. Sold with or without carabiner. Complied to EN 355.



S740-M1




S740-M1-2C

Product Code	Description	Packing	Price
S740-M1	Mini Energy Absorber	10 pcs/polybag	
S740-M1-2C	Mini Energy Absorber with 2pcs carabiner	10 pcs/polybag	

PROGUARD™

S427

Anchorage Connector - Self closing auto lock hook. Material: Stainless Steel. Opening: 75mm. Strength 28 kN. Conform: EN 362.




Product Code	Description	Packing	Price
S 427	Anchorage Connector	1 pc/polybag	

PROGUARD™

8400PH & 8231

Press Snap Hook - Self closing auto locking steel press hook. Material: Nickel Plated Steel. Can only be opened by at least two deliberate manual actions. Opening- 20mm. Static Strength > 22kN. Weight: 205 gms. Conform to EN 362.



8400PH

Large Opening Hook - Self closing auto locking steel forged hook. Nickel Plated finishes. Can only be opened by at least two deliberate manual actions. Opening: 53mm. Static Strength > 22kN. Weight: 380gms. Conform to EN 362.



8231

Product Code	Description	Packing	Price
8400PH	Press Snap Hook	6 pc/box 120 pcs/ctn	
8231	Large Opening Hook	1pc/polybag 50 pcs/ctn	

PROGUARD™

2303 & 800

Quick Link - Manual locking steel Quick Link. Suitable for Energy Absorber Lanyard & direct attach to full body harness. Material: Zinc-plated steel.



Safety Carabiner - Self closing manual locking carabiner. Material: Zinc-plated steel. Opening: 20mm. Strength > 22 kN. Weight: 166 gms. Conform: EN 362.



Product Code	Description	Packing	Price
2303	Quick Link	1pc/polybag 100 pcs/ctn	
800	Carabiner	1pc/polybag 100 pcs/ctn	

• Fall Protection Equipments • Fall Protection Equipments • Fall Protection Equipments

PROGUARD™ S41-20H20 & S41-HP59.5


Safety Block - These fall arrester blocks are designed to give the user maximum protection and mobility in working environments where there is risk involved. In the event of an accidental fall, the block locks immediately and prevents the user from falling further. The block comes in different models depending on the length. Conform to EN 360.



Product Code	Description	Packing	Price
S41-20H20	20m Safety Block with Aluminum Housing & Steel Cable	1 unit/ctn	
S41-HP59.5	9.5m Safety Block with Plastic Housing & Steel Cable	1 unit/ctn	

PROGUARD™ S110

Mini Block - Similar to Safety Block but more compact & light. 45mm webb width with energy absorber package. Weight: 1.2kg. Length: 2.7m. Conform to EN 360



Product Code	Description	Packing	Price
S 110	Mini Block	1 unit/ctn	

PROGUARD™ Multi Purpose Bag

Made of polyester fabric materials and is waterproof resistant. These bags are to store & well kept & protect the full body harness, hooks and lanyard in good conditions after each uses.



PG 0190 MPB



PG 0180 MPB

Product Code	Description	Packing	Price
PG 0180 MPB	Red Multi Purpose Bag	1 pc/polybag	
PG 0190 MPB	Blue Multi Purpose Bag	1 pc/polybag	

PROGUARD™ Fall Arrestor 141064


Fall Arrestor - Equipped with press snap hook & webbing strap 20cm. In the event of a fall it will lock on the rope automatically Unique safe mode to prevent mounted the wrong way. Inbuilt function to park the device in locked position. To be used with vertical lifeline. Works perfectly on 14mm or 16mm diameter lifeline. Conform to EN 353-2.



Product Code	Description	Packing	Price 141064
141064	Fall Arrestor/ 20cm Webbing Strap/ 1pc Press Snap Hook	1 pc/box	

PROGUARD™ Rope Grab

Rope Grab - Mobile design with hands free operation automatically follows the user providing maximum freedom of movement and works safely through your work area. Compact design & is made of Alluminium Alloy.



AHRS-MA/2C

AHRS-1C

Product Code	Description	Packing	Price
AHRS-1C	Rope Grab	1 pc/polybag	
AHRS-MA/2C	Rope Grab with Mini Energy Absorber & 2pcs Carabiner	1 pc/polybag	

PROGUARD™

S41-53

Tripod - 2 anchorage points with rubber stopper under each foot. 6 height adjustment from 1.75m to 2.5m. Made of aluminium with safety webb around the legs. Weight: 14 kgs. Conform to EN 795.



Product Code	Description	Packing	Price
S41-53	Tripod	1 unit/ctn	

PROGUARD™

Maintenance & Repairing Service

Proguard operate in-house examination and repair facilities for all fall protection equipments that require inspection, repair and services. Proguard have competent personnel to carry out maintenance work & repairing services at a reasonable fees. Please consult your distributor for further information.



PROGUARD™

Anchor Wire S797

Anchor Wire S797 - 1 meter length stainless steel wire rope with both end loop c/w carabiner to create anchorage point in areas where a direct connection is not available. Strength 30kN. Conform: EN 795



PROGUARD™

Anchor Webb S798

Anchor Webb S798 - 1 meter length webbing with D-ring at one end & loop at other end to create a mobile anchorage point in areas where a direct connection is not available. Strength 22kN. Conform: EN 795



PROGUARD™

Anchor Sling S799

Anchor Sling S799 - 1 meter length webbing with 1 meter length webbing strap. Strength 20kN. Conform: EN 795



Product Code	Description	Weight	Price
S797	Anchor Wire	1 pc/polybag	
S798	Anchor Webb	1 pc/polybag	
S799	Anchor Sling	1 pc/polybag	